


# TOOL LANYARDS AND BAGS





Transport sacks
Transport backpacks
Transport bags
Tool and transport bucket
Equipment covers bags
Arborist baskets
Transport sacks Dry Bag
Tool lanyards
Tool bags and belts



2023

The PROTEKT company has been present on the market for nearly 30 years and is specialized in fall protection equipment.

We focus mainly on safety and comfort of use of our products. This equipment is used in many industries for works at a height, depth and by rescue services and arborists (tree surgeons). Our offer includes both personal fall protection equipment – full body harnesses, energy absorbers, lanyards, and permanent anchorage systems.

Knowledge and skills of our personnel and professional research and manufacturing facilities ensure keeping the highest quality standards. At the same time, we try to offer products at attractive prices. All our products hold European certificates confirmed by both Polish and foreign notified bodies (including but not limited to CIOP, IPO, APAVE).



### Table of contents

4	TRANSPORT SACKS
16	BACKPACKS
32	TRANSPORT BAGS
<b>40</b>	TOOL AND TRANSPORT BUCKETS
<b>50</b>	EQUIPMENT COVER BAGS
<b>55</b>	ARBORIST BASKETS

70 PAGS

RETRACTABLE TOOL LANYARD

STEEL TOOL LANYARDS

TOOL BAGS AND BELTS

TOOL BAGS AND BELTS

TOOL BAGS AND BELTS



WWW.PROTEKT.UK PROTEKT




#### **800 XA**

#### **Transport sack**

Ref no.: **AX 008** 

#### Capacity 16 litres





#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	400 g
DIMENSIONS:	420 x 400 mm
CAPACITY:	16 l

#### **Equipment:**

- · adjustable shoulder straps,
- · wide opening with a drawstring.

#### **AX 010**

#### **Transport sack**

Ref no.: **AX 010** 





# **DIMENSIONS** 380 mm

#### Available colors:

Available colors:



#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	600 g
DIMENSIONS:	450 x 380 mm
CAPACITY:	36 l

#### **AX 011**

#### Transport sack

#### Capacity 33 litres



#### Ref no.: **AX 011**





**Equipment:** 

- · adjustable shoulder straps,
- · wide opening with a drawstring.

#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	550 g
DIMENSIONS:	600 x 300 x 300 mm
CAPACITY:	33 l

#### **AX 011D**

#### Transport sack

#### Capacity 33 litres



#### Ref no.: AX 011D

# **DIMENSIONS**



#### Equipment:

PROTEKT

- · adjustable shoulder straps,
- wide opening with a drawstring,
- outer, transparent pocket, fastened with a zip,
- lid fastened with velcro.

#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	850 g
DIMENSIONS:	600 x 300 x 300 mm
CAPACITY:	33 l

Equipment:

adjustable shoulder straps,

wide opening with a drawstring.

#### **AX 011N**

#### Transport sack



#### **AX 011K**

Capacity

Transport sack





Ref no.: AX 011K

# DIMENSIONS 300 mm Available colors: YELLOW AX 011K 01 RED AX 011K 02 BLUE AX 011K 03

#### Equipment:


- · adjustable shoulder straps,
- wide opening with a drawstring,
- · additional collar with a drawstring,
- two tape straps allowing to hang the bag.

#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	650 g
DIMENSIONS:	600 x 300 x 300 mm
CAPACITY:	33 l

#### **AX 011T**

#### Transport sack




#### **AX 012**

#### Transport sack







Available colors:

YELLOW AX 011T 01

CZERWONY AX 011T 02

#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	950 g
DIMENSIONS:	800 x 400 x 400 mm
CAPACITY:	80 l

#### 80 litres

· wide opening with a drawstring.

#### Transport sack

### Capacity 26 litres









#### Equipment:

- adjustable shoulder straps,
- · wide opening with a drawstring,
- inner, transparent pocket.

#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	740 g
DIMENSIONS:	590 x 280 x 280 mm
CAPACITY:	26 l


#### **AX 024**

#### Transport sack









#### Technical data:

1150 g
600 x 290 x 290 mm
25 l

#### **AX 013A**

#### Transport sack



#### **Equipment:**

PROTEKT

- · adjustable arm strap with a cushion,
- · bag fastened with a zip,
- inner, transparent pocket.

MATERIAL:	einforced PVC
WEIGHT:	540 g
DIMENSIONS:	580 x 300 x 200 mm
CAPACITY:	20 l

Ref no.: **AX 560 20** 


Capacity
45 litres

Ref no.: **AX 560 10** 



#### Equipment:

- tight closure fastened with a buckle,
- four strap handles for hanging the sack.



#### Technical data:

plavil / PVC	
1220 g	
650 x 300 x 300 mm	
45 l	
7:1	
300 kg	


Capacity
150 litres



#### Equipment:

PROTEKT

- tight closure fastened with a buckle,
- four strap handles for hanging the sack.



MATERIAL:	plavil / PVC
WEIGHT:	2020 g
DIMENSIONS:	800 x 500 x 500 mm
CAPACITY:	150 l
SAFETY FACTOR:	7:1
LIFTING CAPACITY:	300 kg

#### **Transport sack**

AX 030 01


#### Capacity 15 litres



#### Equipment:

- · fastening with a buckle,
- wide opening with a drawstring,
- transparent pocket.

# **DIMENSIONS**



#### Technical data:

170 mm

MATERIAL:	einforced PVC
WEIGHT:	660 g
DIMENSIONS:	540 x 240 x 170 mm
CAPACITY:	15 l

#### **AX 030 02**

#### Worek transportowy

Ref no.: **AX 030 02** 







### Equipment:

14

- fastening with a buckle,
- wide opening with a drawstring,
- transparent pocket.







#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	760 g
DIMENSIONS:	580x 240 x 180 mm
CAPACITY:	30 l

#### **AX 030 03**

Capacity 45 litres Ref no.: **AX 030 03** 

Transport sack



220mm

transparent pocket,

side handles.

45 l

CAPACITY:



WWW.PROTEKT.UK



AX 074

Capacity

45 litres

Ref no.: **AX 011S** 

#### **AX 011SP**

#### Large capacity backpack


Ref no.: AX 011SP

#### Capacity **60** litres









#### Available colors:

YELLOW AX 011SP 01 RED AX 011SP 02

#### · wide opening with a drawstring,

- adjustable shoulder straps,
- adjustable hip strap with cushions,

- · upper flap closed with a buckle.

# inner padding on the back

#### **DIMENSIONS**

Technical data:

MATERIAL:

WEIGHT:

CAPACITY:

DIMENSIONS:

360 mm

#### Available colors:

YELLOW/BLACK AX 011S 11 ORANGE/BLACK AX 011S 15 RED/BLACK AX 011S 12

einforced PVC

630 x 360 x 220 mm

1180 g

45 l

#### wide opening with a drawstring,

- adjustable shoulder straps,
- adjustable hip strap with cushions and a buckle,
- inner padding on the back,
- upper flap closed with a buckle.

Equipment:

PROTEKT

- inner padding on the back,
- two side pockets fastened with

#### Technical data:

einforced PVC
1640 g
630 x 380 x 250 mm
60 l

Equipment:

#### Backpack

#### Ref no.: **AX 020**





Equipment:

- adjustable shoulder straps,
- zippered flap,
- a rubber grip on top of the backpack,
- inner lining on the back,
- high visibility.

Capacity



**DIMENSIONS** 

#### Technical data:

Available colors:

GREY/BRIGHT YELLOW-GREEN AX 020 19

MATERIAL:	einforced PVC
WEIGHT:	1200 g
DIMENSIONS:	600 x 340 x 210 mm
CAPACITY:	35 l

#### **AX 070L**

#### Large capacity backpack

Ref no.: AX 070L



**DIMENSIONS** 

# Available colors:

#### adjustable shoulder straps,

- sewn-in breathing cushion, increasing the comfort of wearing,
- 2 chainsaw pockets,

Equipment:

- convenient snap hook attachment system,
- removable bottom,
- lid closed with a buckle.

Technical data:

MATERIAL:	einforced PVC
WEIGHT:	1500 g
DIMENSIONS:	600 x 310 x 250 mm
CAPACITY:	40 l

#### **AX 040**

Capacity

#### Large capacity backpack





#### Equipment:

- · tight rolling closure,
- adjustable shoulder straps,
- inner lining on the back,
- side pocket with velcro closure,
- inner transparent pocket.

#### Technical data:

330 mm

einforced PVC	
1150 g	
620 x 330 x 220 mm	
45 l	
	1150 g 620 x 330 x 220 mm

21

ORANGE/BLACK AX 070L 15

#### **AX 071**

#### Transport backpack


Capacity

30 litres









200 mm

ORANGE/NAVY BLUE AX 071 18

NAVY BLUE/BLACK AX 071 17

BLACK/ORANGE AX 071 15

#### Technical data:

330 mm

MATERIAL:	einforced PVC
WEIGHT:	1150 g
DIMENSIONS:	500 x 330 x 200 mm
CAPACITY:	30 l



PROTEKT

- · sewn in breathable cushion for improved comfort,
- convenient snap hook attachment system,
- additional transparent pocket,
- · lid closed with buckle and puller.

lid closed with a buckle.

40 l

CAPACITY:

Capacity

80 litres

Ref no.: **AX 080** 

Capacity

35 litres

Ref no.: **TA 400** 



#### Equipment:

- adjustable shoulder straps,
- 5 inner pockets,
- possibility of separating the backpack (2 separable baskets),
- · convenient wearing handles.

#### Technical data:

DIMENSIONS

MATERIAL:	polyester
WEIGHT:	2600 g
DIMENSIONS:	800 x 350 x 350 mm
CAPACITY:	80 L

#### Equipment:

PROTEKT

- swide opening with additional collar and a drawstring
- · adjustable shoulder straps,
- · lid closed with two bukcles.

#### Technical data:

WEIGHT:	620 g
DIMENSIONS:	550 x 300 x 300 mm
CAPACITY:	35 l

Available colors:

YELLOW AX 080 01

BLACK AX 080 04



#### A handy first aid kit

Ref no.: **MX 003** 









- · fastening with a zipper,
- numerous pockets inside,
- the possibility of any interior arrangement of the backpack through detachable organizers

**MX 002** 







MATERIAL:	reinforced PVC
WEIGHT:	2300 g
DIMENSIONS:	500 x 400 x 190 mm
CAPACITY:	35 l

NEW

Fold-out medical bag

NEW

Ref no.: MX 002



#### Equipment:

- · fastening with a buckle,
- 3 inner pockets with zippers.





#### Technical data:

MATERIAL:	polyester
WEIGHT:	160 g
CAPACITY:	240 x 200 x 45 mm



#### **Equipment:**

- · fastening with a zipper,
- · 2 inside pockets,

**AX 074** 

· possibility of attaching to the belt.



velcros Technical data: MATERIAL: polyester WEIGHT: 125 g DIMENSIONS: 150 x 100 x 50mm

#### Transport backpack

Ref no.: **AX 074** 


### Capacity












#### Equipment:

- adjustable shoulder straps,
- front pockets with zippers,
- inside pocket with zipper with transparent wal,
- front and rear handle
- extendable collar,

PROTEKT

high-strength construction.



MATERIAL:	reinforced PVC	
WEIGHT:	2600 g	
DIMENSIONS:	720 x 330 x 330 mm	
CAPACITY:	60 l	





#### adjustable shoulder straps,

wide loading opening,

two-piece of the backpack

- numerous pockets and attachment points inside the backpack,
- front flaps closed with a zipper
- upper transport handle.

#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	1880 g
DIMENSIONS:	600 x 380 x 190mm
CAPACITY:	40 l

WWW.PROTEKT.UK



#### **TA 707**

#### Foldable lightweight backpack

DIMENSIONS:

CAPACITY:

400 x 200 x 120 mm

10 l





the possibility of packing

for the inner sachet.

**Equipment:** 

Ref no.: **TA 703** 




Capacity 15 litres



#### Equipment:

- fastening with a zipper,
- additional outside pocket,
- side mesh pocket.







Technical data:

MATERIAL:	polyester
WEIGHT:	400 g
DIMENSIONS:	400 x 280 x 150 mm
CAPACITY:	15 l

**TA 705** 

Transport backpack



Capacity 25 litres





**DIMENSIONS** 





Technical data:

MATERIAL:	polyester	
WEIGHT:	600 g	
DIMENSIONS:	500 x 300 x 160 mm	
CAPACITY:	25 l	_

MATERIAL:	polyester	
WEIGHT:	600 g	
DIMENSIONS:	500 x 300 x 160 mm	
CAPACITY:	25 l	

Capacity 15 litres





**DIMENSIONS** 





- · fastening with a zipper,
- additional outer pocket,
- softly padded back
- inner tablet compartment,
- removable internal organizer for photo equipment.



Technical data:


MATERIAL:	polyester
WEIGHT:	700 g
DIMENSIONS:	450 x 250 x 150 mm
CAPACITY:	15 l



**Equipment:** 

fastening with a zipper,

side outer pocket.




Capacity 10 litres

Ref no.: **AX 014** 









#### Equipment:

- · 2 compartments,
- air vents on the bottom of the bag,
- flap fastened with velcro.

MATERIAL:	einforced PVC
WEIGHT:	480 g
DIMENSIONS:	300 x 360 x 120 mm
CAPACITY:	10 (

**AX 028** 

#### Transport bag



Available colors:

YELLOW AX 010 01

Capacity **50** litres






#### Equipment:

- · two non-adjustable handles for carrying,
- additional rubber handles on the sides of the bag,
- 1 compartment,
- bag fastened with a zip.

#### **DIMENSIONS**



ATERIAL:	einforced PVC
/EIGHT:	865 g

Technical data:

#### DIMENSIONS: 300 x 300 x 600 mm CAPACITY: 50 l

#### **AX 023**

#### Transport bag

Ref no.: **AX 023** 

#### Capacity 25 litres




#### **Equipment:**

- · adjustable shoulder strap,
- 1 compartment,
- reinforced bottom,
- · flap closed with a buckle.

· flap closed with a buckle.

PROTEKT





#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	820 g
DIMENSIONS:	470 x 320 x 160 mm
CAPACITY:	25 l


#### **AX 050**

#### Transport bag

#### Capacity 10 litres



Ref no.: **AX 050** 



MATERIAL:	polyester	
WEIGHT:	350 g	
DIMENSIONS:	300 x 100 x 390 mm	
CAPACITY:	10 l	

#### Capacity 10 litres









#### Equipment:

- velcro closure flap,
- divided inner pocket with 4 steel hooks,
- 4 external steel hooks,
- 2 front pockets with velcro closure.



#### Technical data:

MATERIAL:	einforced PVC	
WEIGHT:	960 g	
DIMENSIONS:	300 x 300 x 100 mm	
CAPACITY:	10 l	

#### **AX 100**

Transport bag

Capacity 25 litres




Ref no.: **AX 100** 





**DIMENSIONS** 



Technical data:

MATERIAL:

WEIGHT:

DIMENSIONS:

CAPACITY:

einforced PVC

330 x 280 x 300 mm

950 g

25 l

Available colors:

#### Equipment:

36

- adjustable shoulder strap,
- reinforced bottom and sides,
- 1 compartment,
- flap closed with a buckle.

## **5** litres

Capacity

**AX 200** 



Ref no.: **AX 200** 

Tool bag



#### **Equipment:**

- · two non-adjustable handles for carrying,
- 1 compartment,
- bag fastened with a zip.

#### Technical data:

MATERIAL:	polyester
WEIGHT:	140 g
DIMENSIONS:	280 x 270 x 90 mm
CAPACITY:	5 l

#### **AX 801**

#### Capacity **5** litres



#### Weight bag

Ref no.: **AX 801** 





Available colors: YELLOW AX 801 01

#### **Equipment:**

· drawstring,

PROTEKT


- · 1 compartment,
- · additional mounting bracket.


MATERIAL:	einforced PVC
WEIGHT:	120 g
DIMENSIONS:	260 x 130 x 130 mm
CAPACITY:	5 l




#### Capacity **50** litres

#### **DIMENSIONS**









- adjustable shoulder strap,
- additional handles on the sides of the bag,
- soft padding of the whole,
- 1 compartment,
- eflective strips,
- zippered flap,
- inside and outside transparent zippered pocket,
- additional inner pockets.





#### Technical data:

MATERIAL:	synthetic technical fabric
WEIGHT:	1100 g
DIMENSIONS:	290 x 290 x 600 mm
CAPACITY:	50 l

ORANGE AX 301 05

#### **AX 800**

38

#### Collapsible rope bag




#### **TA 301**

#### Tool bag

Ref no.: **TA 301** 

#### Capacity 10 litres





Available colors:

YELLOW TA 301 01

#### Technical data:

einforced PVC
300 g
300 x 340 x 110 mm
10 l

#### Equipment:

Capacity

- · side pocket,
- · 1 compartment,

**TA 302** 

· 2 sewn-in carabiners.

#### Tool bag





Ref no.: **TA 302** 

# **DIMENSIONS** 340 mm

#### Available colors:

YELLOW TA 302 01

RED TA 302 02

BLUE TA 302 03

Eq	uipment:	MATERIAL:	einforced PVC
	side pocket,	WEIGHT:	400 g
	2 compartments,	DIMENSIONS:	300 x 340 x 110 mm
•	2 sewn-in carabiners.	CAPACITY:	10 (



TA 501 10



TA 501 10W



TA 501 20



TA 501 10K



TA 501 60



TA 501 50



TA 501 30



TA 501 30K



TA 501 40



TA 502 10



TA 502 40



TA 502 20



TA 502 60



TA 504 10



TA 504 20



TA 601 10



TA 601 15



TA 601 20

# Tool and transport buckets

#### TA 501 10


#### Capacity 10 litres



#### Equipment:

- · 1 compartment,
- · reinforced plastic bottom,
- · carry handle,
- · rigid upper edge.





Available colors:

NATURAL TA 501 10 06

#### Technical data:

MATERIAL:	cotton
WEIGHT:	500 g
DIMENSIONS:	390 x 210 x 210 mm
CAPACITY:	10 l

#### **TA 501 10W**

#### Capacity

#### 10 litres


#### Small canvas tool bucket

Small canvas tool bucket

Ref no.: **TA 501 10** 

Ref no.: **TA 501 10W** 





#### Available colors:

NATURAL TA 501 10W 06

#### Equipment:

- 1 compartment,
- · reinforced plastic bottom,
- carry handle,

PROTEKT

rigid upper edge, reinforced with PVC.


cotton
520 g
390 x 210 x 210 mm
10 l

#### Small PVC tool bucket

Ref no.: **TA 501 20** 

#### Capacity 10 litres





#### Equipment:

- · 1 compartment,
- reinforced plastic bottom,
- carry handle,
- rigid upper edge.

#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	580 g
DIMENSIONS:	390 x 210 x 210 mm
CAPACITY:	10 (

#### TA 501 30

Small tool bucket

#### Capacity 10 litres

1 compartment,

carry handle,

rigid upper edge.


reinforced plastic bottom,





Ref no.: **TA 501 30** 

**DIMENSIONS** 





Available colors:

#### Technical data:

MATERIAL:	synthetic technical fabric, PCV	
WEIGHT:	460 g	
DIMENSIONS:	390 x 210 x 210 mm	
CAPACITY:	10 l	

#### **TA 501 30K**

#### Small tool bucket with snap hook

Capacity 10 litres Ref no.: **TA 501 30K** 







#### **Equipment:**

- 1 compartment,
- KA10 or AZ 011 snap hook.
- · rigid upper edge, PVC reinforced.

#### Technical data:

ΜΔΤΕΡΙΔΙ ·	synthetic technical fabric, PCV
MAILKIAL.	Syrithetic technical raciic, PCV
WEIGHT:	520 g
DIMENSIONS:	390 x 210 x 210 mm
CAPACITY:	10 l

#### TA 501 40

#### Small tool bucket with snap hook

#### Capacity

4 litres



Ref no.: TA 501 40

#### **DIMENSIONS**





43

#### **Equipment:**

- 1 compartment,
- · KA10 snap hook,
- · rigid upper edge.

#### Technical data:

MATERIAL:	synthetic technical fabric, PCV
WEIGHT:	620 g
DIMENSIONS:	225 x 175 x 150 mm
CAPACITY:	4 l


42 PROTEKT WWW.PROTEKT.UK

Capacity

4 litres



Ref no.: **TA 501 60** 



#### Equipment:

- · 1 compartment,
- reinforced plastic bottom,
- handle with the possibility of attaching the snap hook.

#### Technical data:

MATERIAL:	einforced PVC
WEIGHT:	320 g
DIMENSIONS:	250 x 150 x 150 mm
CAPACITY:	4 L

#### TA 501 50

#### Small PCV tool bucket with snap hook

Capacity

3 litres

Ref no.: **TA 501 50** 



#### **DIMENSIONS** Available colors: YELLOW TA 501 50 01 150 mm

#### Equipment:

- 1 compartment,
- handle with KA10 snap hook.

#### Technical data:


MATERIAL:	einforced PVC
WEIGHT:	320 g
DIMENSIONS:	200 x 150 x 150 mm
CAPACITY:	31

#### Capacity 25 litres

**TA 502 10** 



Ref no.: **TA 502 10** 



BLACK TA 502 10 04 NATURAL TA 502 10 06

#### Technical data:

MATERIAL:	cotton canvas
WEIGHT:	900 g
DIMENSIONS:	400 x 300 x 300 mm
CAPACITY:	25 l

#### **TA 502 40**

#### Big canvas tool bucket



**Equipment:** 



Ref no.: **TA 502 40** 

# **DIMENSIONS**



Available colors:

#### Equipment:

- · 2 inner pockets,
- 1 compartment,
  - 2 outer pockets, collar with drawstring closure,
- reinforced plastic bottom,
- carry handle,

PROTEKT

rigid upper edge.

MATERIAL:	cotton canvas
WEIGHT:	960 g
DIMENSIONS:	400 x 300 x 300 mm
CAPACITY:	25 l

#### TA 504 10

#### **PVC tool bucket**

Ref no.: **TA 504 10** 

Capacity 25 litres



Ref no.: **TA 502 20** 



# **DIMENSIONS** 300 mm

# Available colors: YELLOW TA 502 20 01

#### Equipment:

- · 2 inner pockets,
- 1 compartment,
- 2 outer pockets,
- reinforced plastic bottom,
- carry handle,
- rigid upper edge.

Technical data:

MATERIAL:	einforced PVC
WEIGHT:	1120 g
DIMENSIONS:	400 x 300 x 300 mm
CAPACITY:	25 l

#### **TA 502 10**

rigid upper edge.

46


Big tool bucket





Ref no.: **TA 502 10** 

# **DIMENSIONS**



#### Technical data:

MATERIAL:	synthetic technical fabric, PCV
WEIGHT:	1000 g
DIMENSIONS:	400 x 300 x 300 mm
CAPACITY:	25 l

WWW.PROTEKT.UK

#### Capacity 14 litres





#### **Equipment:**

- 1 compartment,
- · reinforced plastic bottom.

#### Technical data:

MATERIAL:	PCW
WAGA:	430 g
WYMIARY:	400 x 210 x 210 mm
POJEMNOŚĆ:	14 (

#### **TA 504 20**

#### **PVC tool bucket**

Capacity


21 litres



Ref no.: TA 504 20

DIMENSIONS

Technical data:



PVW
520 g
600 x 210 x 210 mm
21 (

· 1 compartment, · reinforced plastic bottom.

**Equipment:** 

PROTEKT



Tool baskets made of codura


NEW

Capacity 10 litres



Ref no.: **TA 501 10K** 





#### Available colors:

NEW



#### Technical data:

MATERIAL:	cotton canvas
WEIGHT:	1120 g
DIMENSIONS:	400 x 300 x 300 mm
CAPACITY:	25 l

#### Equipment:

- 1 chamber,
- reinforced plastic bottom,
- carrying handle,
- collar with drawstring closure.

**TA 502 60** 

Large tool bucket made of codura




Capacity

25 litres







#### Equipment:

- 1 chamber,
- 2 inside pockets,
- 2 outer pockets,
- reinforced plastic bottom,
- carrying handle,
- stiffened upper edge, reinforced with PVC.

#### **DIMENSIONS**




#### Technical data:

MATERIAL:	codura, PVC
WEIGHT:	1080 g
DIMENSIONS:	400 x 300 x 300 mm
CAPACITY:	25 l

#### Technical data:

Ref no.:	TA 601 10	TA 601 15	TA 601 20
Weight:	100 g	160 g	200 g

Dimensions: 100x100x200cm 150x150x200cm 200x200x300cm Capacity: 1,5 l 3,51 91



Capacity

**1,5** litres

Capacity



TA 601 15



TA 601 20

**DIMENSIONS** 

Capacity 9 litres

Equipment:

TA 601 10

- 1 chamber,
- · catch handle

48 PROTEKT WWW.PROTEKT.UK



# Equipment cover bags

50

#### **AXS 100**

#### Fire hose cover

Capacity **25** litres

Ref no.: **AXS 100** 



#### Equipment:

- · cover fastened with a zip,
- · additional compression straps,
- · transparent window.

MATERIAL:	reinforced PVC	
WEIGHT:	740 g	
DIMENSIONS:	450 x 450 x 180 mm	
CAPACITY:	25 l	

#### Fire blanket bag







nr kat.: AXS 101



#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	1890 g
DIMENSIONS:	1100 x 380 x 380 mm
CAPACITY:	120 l

**AXS 300** 

Ref no.: AXS 300

Oblong cover for fire hose "M-42"



#### Equipment:

- three straps with automatic buckles,
- · two handles for transportation.


#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	600 g
DIMENSIONS:	1200 x 600 mm

#### **AXS 200**


#### Fire hose cover "M-42"

Ref no.: AXS 200



#### **AX 016**

#### **Transport Bag**



#### Equipment:

- two non-adjustable handles for carrying,
- velcro closures.

PROTEKT



MATERIAL:	reinforced PVC
WEIGHT:	1250 g
DIMENSIONS:	1800 x 230 x 200 mm
CAPACITY:	75 l

#### **AX 018**

#### **Transport Bag**



#### **Equipment:**


- two non-adjustable handles for carrying,
- zip closures.

# MATERIAL: reinforced PVC WEIGHT: 660 g DIMENSIONS: 1150 x 130 x 180 mm CAPACITY: 25 l

Technical data:

#### **AX 060**

#### Transport Bag



#### **Equipment:**

- two non-adjustable handles for carrying,
- · zip closures,
- bottom reinforced with paddingon both ends.

#### Technical data:

MATERIAL:	reinforced PVC
WEIGHT:	800 g
DIMENSIONS:	1400 x 110 x 140 mm
CAPACITY:	20 l





55

## Arborist baskets

#### **AX 700 50**

#### **Arborist basket**

#### Capacity 80 litres





#### Equipment:

- shoulder strap,
- handle for horizontal carrying,
- two handles for carrying, the basket in hand,
- adjustable collar with a drawstring fastened with press studs.

#### Technical data:


MATERIAL:	textile tape / plastic	
WEIGHT:	5280 g	
DIMENSIONS:	670 x 440 x 345 mm	
CAPACITY:	80 L	

440 mm

#### Capacity **50** litres



Ref no.: **AX 700 50** 



#### **Equipment:**

- · shoulder strap,
- handle for horizontal carrying,
- two handles for carrying, the basket in hand,
- adjustable collar with a drawstring fastened with press studs.

#### Technical data:

MATERIAL:	textile tape / plastic
WEIGHT:	4320 g
DIMENSIONS:	490 x 440 x 345 mm
CAPACITY:	50 l

#### **AX 700 30**

#### Capacity 30 litres




#### **Arborist basket**

Ref no.: **AX 700 30** 



#### **DIMENSIONS**

57



#### Equipment:

PROTEKT

- · shoulder strap,
- handle for horizontal carrying,
- two handles for carrying the basket in hand,
- adjustable collar with a drawstring fastened with press studs.

MATERIAL:	textile tape / plastic
WEIGHT:	3000 g
DIMENSIONS:	310 x 440 x 345 mm
CAPACITY:	30 l
CAPACITY:	30 t

#### **Arborist basket**



#### **AX 701 15**

#### Arborist basket



#### **AX 702 35**

#### Arborist basket







WWW.PROTEKT.UK

plastic rigid bottom.

25 l



## Dry Bags

#### **WX 001**

#### **Dry Bag**

Ref no.: WX 001

#### Capacity **5** litres



#### Equipment:

- · tight closurefastened with a buckle,
- · comfortable adjustable strap
- to the carry the bag.

#### **DIMENSIONS** Available colours: RED WX 001 02

Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.


#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	120 g
WYMIARY:	340 x 220 x 140 mm
CAPACITY:	51

#### **WX 002**

#### **Dry Bag**





Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	260 g
DIMENSIONS:	500 x 300 x 210 mm
CAPACITY:	20 l

- · tight closurefastened with a buckle,
- · comfortable adjustable strap
- · to the carry the bag.

60 WWW.PROTEKT.UK

#### **Dry Bag**

#### Capacity 35 litres



#### **Equipment:**

- tight closurefastened with a buckle,
- comfortable adjustable strap
- to the carry the bag.

#### Ref no.: WX 003

# **DIMENSIONS** Available colours:

Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	360 g
DIMENSIONS:	700 x 300 x 250 mm
CAPACITY:	35 l

#### **WX 004**

#### **Dry Bag**


#### Capacity **20** litres



- tight closurefastened with a buckle,
- comfortable adjustable strap
- to the carry the bag.

62

Ref no.: WX 004



Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester	
WEIGHT:	290 g	
DIMENSIONS:	500 x300 x 210 mm	
CAPACITY:	20 l	


#### **WX 005**

#### **Dry Bag**

Ref no.: **WX 005** 

#### Capacity 20 litres





Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	290 g
DIMENSIONS:	500 x 210 x 210 mm
CAPACITY:	20 l

#### **Equipment:**

- · tight closurefastened with a buckle,
- · comfortable adjustable strap to the carry the bag.

#### **WX 006**

#### **Dry Bag**

#### Capacity 35 litres



Ref no.: WX 006

#### **DIMENSIONS** Available colours: YELLOW WX 006 01 WX 006 02

Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	490 g
DIMENSIONS:	700 x 250 x250 mm
CAPACITY:	35 l

· tight closurefastened with a buckle,

PROTEKT

· comfortable, adjustable shoulder straps.

WWW.PROTEKT.UK


Capacity 30 litres



- · tight closurefastened with a buckle,
- comfortable, adjustable shoulder straps.

Ref no.: WX 007

# **DIMENSIONS**



Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	500 g
DIMENSIONS:	650 x 200 x 200 mm
CAPACITY:	30 l

#### **WX 008**

#### **Dry Bag**

Capacity 20 litres


**Equipment:** 



**Equipment:** 

- tight closurefastened with a buckle,
- comfortable adjustable strap to the carry the bag.

WX 008 Ref no.:





Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	320 g
DIMENSIONS:	500 x 210 x 210 mm
CAPACITY:	20 l

#### **WX 009**

#### Capacity **85** litres




#### Equipment:

- · tight closurefastened with a buckle,
- comfortable, adjustable shoulder straps.

#### **Dry Bag**

Ref no.: **WX 009** 



Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

#### Technical data:

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	905 g
DIMENSIONS:	1000 x 350 x 250 mm
CAPACITY:	85 l

#### **WX 010**

#### **Dry Bag**

#### Capacity 85 litres




tight closurefastened with a buckle,

PROJEKI


comfortable, adjustable shoulder straps.

Ref no.: WX 010




Transport bags made of material resistant to water and sun. Necessary equipment for sailors, canoeists as well as cyclists and motorcyclists.

MATERIAL:	bag - PVC tape - polyester
WEIGHT:	825 g
DIMENSIONS:	1000 x 290 x 290 mm
CAPACITY:	85 l



#### Test method in accordance with ANSI/ISEA 121-2018



#### ANSI/ISEA 121-2018 Important sections of standard in question:

American National Standard for Dropped Object Prevention Solutions.

This standard establishes minimum design, performance, testing and labelling requirements for solutions that reduce dropped objects incidents in industrial and occupational settings. Dropped objects include hand tools, instrumentation, small parts, structural components and other items that have to be transferred and used at heights. These objects have the opportunity of becoming dropped objects potentially resulting in struck-by injury or fatality or damage to equipment.

#### 5.3.2 Test Equipment

The test equipment shall consist of the following:

- a) Tool attachment sample.
- b) Test cable of fabricated steel with swaged looped endsmeasuring a minimum of twice the length of the manufacturers allowable maximum tether length for the tool attachment, plus 60cm.
- c) A rigid weight, weighing a total of the specified test factor listed in test schedule.
- d) A test fixture designed and built accordingly to allow installation onto the fixed anchor point.

If a specific tool size range or geometry is detailed for use with the tool attachment, the test weight or test fixture shall mimic that tool's characteristics.

#### 5.3.3 Dynamic Test Procedure

Each test sample that requires a dynamic test shall be subjected to a minimum of 3 drops without replacement or adjustment of the sample. Each test sample shall be tested within 5 minutes of removal from conditioning. If testing cannot be completed within the allotted time, samples shall be reconditioned between drops.

One of the following methods shall be used:

a) Attach one end of the test cable to the connection point on the tool attachment and the other end to the fixed anchor point. The test weight shall be positioned in a way to expose the weakest orientation of the tool attachment.

b) Install test fixture onto fixed anchor point. Attach the tool attachment to the test fixture in a position that exposes the weakest orientation of the tool attachment. Attach one end of the test cable to the tool attachment and the other end to an independent test weight.

Perform a drop with a test weight equal to the manufacturer's published capacity with a free fall distance of twice the specified test tether length allowed by the manufacturer. The test weight shall be released from a point no more than 152 mm horizontally from the centre of the fixed anchor point. The test weight shall be orientated in a way that allows the weight to experience a straight fall. Follow this procedure for two additional drops. A total of three drops shall be recorded. (Refer to figure.)



#### Retractable tool lanyard with lock







CARABINER WITH SWIVEL SHACKLE opening ø 10 mm

PROTEKT






#### Technical data:

fastener.

Material of lanyard:	polyester
Maximum load:	2 kg
Lanyard length:	max.115 cm
Lanyard length:	35 daN

Retractable lanyard with lock and strap for wrapping around a wrist using Velcro





# Retractable tool lanyards

### Retractable tool lanyard

tested in accordance with ANSI/ISEA 121-2018 Ref no.: AY 003





opening ø 10 mm




Retractable lanyard protecting against dropping of tools.

### Technical data:


Material of lanyard:	polyester
Maximum load:	2 kg
Lanyard length:	max.115 cm
Lanyard length:	35 daN

## **AY 013**

### Retractable tool lanyard







## Steel tool lanyards


## AY 040 / BT 002

### Steel tool lanyard



Ref no.: **AY 040 / BT 002** 





Plastic-coated steel tool lanyard with a handy carabiner installed at both ends. Lanyard provides protection of tools against dropping, e.g. during assembly works.

### Technical data:

Material:	plastic-coated galvanized steel cable ø 4,5 mm
Lanyard length:	2 kg
Maximum extension:	max. 150 cm
Maximum load:	63 mm


## AY 040 / BT 003

### Steel tool lanyard



PROJEKI


Ref no.: AY 040 / BT 003



Plastic-coated steel tool lanyard with a handy carabiner installed at both ends. Lanyard provides protection of tools against dropping, e.g. during assembly works.

### Technical data:

Material:	plastic-coated galvanized steel cable ø 4,5 mm
Lanyard length:	2 kg
Maximum extension:	max. 150 cm
Maximum load:	63 mm



## AY 040 / BT 001

### Steel tool lanyard

Ref no.: AY 040 / BT 001

Lanyard length:

Maximum load:

Maximum extension:


2 kg

63 mm

max. 150 cm

tested in accordance with ANSI/ISEA 121-2018


74



### Steel tool lanyard

tested in accordance with ANSI/ISEA 121-2018

Ref no.: **AY 040 / BT 004** 




## AY 040 / BT 005

### Steel tool lanyard

tested in accordance with ANSI/ISEA 121-2018


Ref no.: **AY 040 / BT 005** 



Plastic-coated steel tool lanyard with a handy carabiner installed at both ends. Lanyard provides protection of tools against dropping, e.g. during assembly works.

### Technical data:

Material:	plastic-coated galvanized steel cable ø 4,5 mm
Lanyard length:	2 kg
Maximum extension:	max. 150 cm
Maximum load:	63 mm



## Tool bags and belts

**AY 002** 

tested in accordance with ANSI/ISEA 121-2018

Ref no.: AY 001

Ref no.:

**BAND WITH** 

VELCRO

## AY 011

### Wrist tool lanyard







Wrist lanyard protecting against dropping of tools equipped with string and clip for adjustment. Wrapped around wrist using band with Velcro fastener.

### Technical data:

Material:	polyester	
Maximum load:	l kg	

### Elastic belt tool lanyard

fastener.

Material:

Maximum load:

Technical data:

Wrist lanyard protecting against dropping of tools


polyester

1 kg

equipped with string and clip for adjustment.

Wrapped around wrist using band with Velcro





## **AY 012**

PROTEKT

### Elastic belt tool lanyard for left-handed users





Ref no.: **AY 012** 

Elastic belt tool lanyard protecting against dropping of tools with clip for adjustment designed for left-handed users.

Materiał linki:	polyester
Maximum load:	0,5 kg
Maximum load:	max. 115 cm
Static strength:	35daN / 3 min. without failure

tested in accordance with ANSI/ISEA 121-2018

CONNECTING BUCKLE

> STRONG SEAM

INVERTED LOOPS

0,25 kg

CLIP

Ref no.: AY 022

ELASTIC LANYARD

fastener.

Material:

Maximum load:

Lanyard length:

Static strength:

Technical data:


## **AY 052**

### **Tool lanyard**

INVERTED

Ref no.: **AY 052** 





Protection against dropping of tools, e.g. chainsaw or other accessories. Strong seams, handy inverted loops.

### Technical data:

Material:	polyester
Webbing width:	25 mm
Length:	1.3 m
Static strength:	5 kN
Maximum load:	4 kg
Safety Factor:	7:1

## **AY 051**

### Tool lanyard

Ref no.: **AY 051** 

## **AY 053**

PROTEKT

tested in accordance with ANSI/ISEA 121-2018



Ref no.: **AY 053** 

**Tool lanyard** 

Tool lanyard – protection against dropping of tools, e.g. chainsaw. Strong seams, handy inverted loops.

### Technical data:

Material:	polyester
Webbing width:	25 mm
Length:	1.3 m
Static strength:	5 kN
Maximum load:	4 kg
Safety Factor:	7:1



Tool lanyard – protection against dropping of tools, e.g. chainsaw. Strong seams, inverted loops - always open.

Elastic belt tool lanyard protecting against

dropping of tools. Equipped with a string and clip

for adjustment and connecting buckle with Velcro

polyester

max. 150 cm

35 daN / 3 min. without failure

0,25 kg


Material:	polyester
Webbing width:	25 mm
Length:	1.3 m
Static strength:	5 kN
Maximum load:	4 kg
Safety Factor:	7:1

Ref no.: **AY 054** 





Tool lanyard – protection against dropping of tools, e.g. assembly wrenches. Strong seams, equipped with elastic line at one end.



### Technical data:

Material:	polyester
Webbing width:	25 mm
Length:	1.3 m
Static strength:	600 N
Maximum load:	5 kg
Safety Factor:	7:1

## **AY 057**

### Tool lanyard



Tool lanyard – protection against dropping of tools, e.g. assembly wrenches. Strong seams, equipped with elastic line at one end, and steel detachable carabiner with opening of 10 mm at the other.

82

### Technical data:

Material:	webbing - polyester carabiner - steel
Webbing width:	25 mm
Length:	1.3 m
Static strength:	600 N
Maximum load:	5 kg
Safety Factor:	7:1

WWW.PROTEKT.UK

### **AY 058**

### **Tool lanyard**



Tool lanyard – protection against dropping of tools, e.g. assembly wrenches. Strong seams, equipped with elastic line at one end, and steel detachable carabiner with opening of 7 mm at the other.

### Technical data:

Material:	webbing - polyester carabiner - steel
Webbing width:	25 mm
Length:	1.3 m
Static strength:	600 N
Maximum load:	5 kg
Safety Factor:	7:1

### **AY 059**

### **Tool lanyard**




Tool lanyard – protection against dropping of tools, e.g. assembly wrenches. Strong seams, equipped with elastic line at one end, and stainless-steel detachable carabiner with opening of 7 mm at the other.

PROTEKT

Material:	webbing - polyester carabiner - stainless steel
Webbing width:	25 mm
Length:	1.3 m
Static strength:	600 N
Static strength:	5 kg
Safety Factor:	7:1

### **Tool lanyard**



Tool lanyard connected by two swivel shackles (enabling 360° rotation) - protection against dropping of tools, e.g. assembly wrenches. Strong seams, equipped with stainless-steel carabiners with opening of 10 mm at both ends.

### Technical data:

Material:	carabiner / swivel shackles - stainless steel
Webbing width:	25 mm
Length:	1.3 m
Static strength:	600 N
Maximum load:	3 kg
Safety Factor:	7:1

## **AY 055**

### **Tool lanyard**






Elastic tool lanyard – protection against dropping of tools, e.g. power screwdriver or chainsaw. Strong seams, handy inverted loop.

84

Ref no.: **AY 055** 



### Technical data:

Material:	polyester
Webbing width:	25 mm
Length:	1.3 m
Static strength:	5 kN
Maximum load:	30 kg
Safety Factor:	7:1

## **AY 132**

### tested in accordance with ANSI/ISEA 121-2018 0,5 kg



### **Tool lanyard**

Ref no.: **AY 132** 

Elastic tool lanyard with carabiner. Protection against dropping of tools, e.g. assembly wrenches.

### Technical data:

Material:	polyester
Webbing width:	64 cm
Maximum extension:	max. 125 cm
Maximum load:	0,5 kg

## **AY 133**

PROTEKT

### **Tool lanyard**

tested in accordance with ANSI/ISEA 121-2018 1 kg



Ref no.: **AY 133** 



Elastic belt tool lanyard with carabiner. Protection against dropping of tools, e.g. assembly wrenches.

Material:	polyester
Webbing width:	64 cm
Maximum extension:	max. 125 cm
Maximum load:	1 kg

## **AY 135**

### **Tool lanyard**



Ref no.: **AY 135** 



Elastic tool lanyard – protection against dropping of tools, e.g. assembly wrenches.

### Technical data:

Material:	polyester
Webbing width:	64 cm
Maximum extension:	max. 125 cm
Maximum load:	0,5 kg

## **AY 153**

### **Tool lanyard**





Ref no.: **AY 153** 

Elastic tool lanyard with handy inverted loop. Protection against dropping of tools, e.g. assembly wrenches.

### Technical data:

Material:	polyester
Webbing width:	64 cm
Maximum extension:	max. 125 cm
Maximum load:	15 kg





87

## Tool holders

### **AY 302**

### **Tool holder**







Ref no.: AY 300



AY 300 is a webbing tool holder fixed using Velcro fastener to a belt or straps of harnesses or full body harnesses. Provides optimum arrangement of tools which in turn improves working comfort. AY 300 enables connection of e.g. tool lanyard.

### Technical data:

Material:	polyester webbing plastic holder
Webbing width:	40 mm
Max. load:	2 kg



88

### **Tool holder**







AY 301 is a webbing tool holder fixed using Velcro fastener to a belt or straps of harnesses or full body harnesses. Provides optimum arrangement of tools which in turn improves working comfort. AY 301 enables connection of e.g. tool lanyard.

### Technical data:

Material:	polyester webbing steel holder	
Webbing width:	40 mm	
Max. load:	2 kg	





Ref no.: **AY 302** 



AY 302 is a webbing tool holder fixed using Velcro fastener to a belt or straps of harnesses or full body harnesses. Provides optimum arrangement of tools which in turn improves working comfort. AY 302 enables connection of e.g. tool lanyard.

### Technical data:

Material:	polyester webbing plastic holder
Webbing width:	40 mm
Max. load:	2 kg

## **AY 303**

PROTEKT

## **Tool holder**





Ref no.: **AY 303** 



AY 303 is a webbing tool holder fixed using Velcro fastener to a belt or straps of harnesses or full body harnesses. Provides optimum arrangement of tools which in turn improves working comfort. AY 303 enables connection of e.g. tool lanyard.


Material:	polyester webbing steel holder
Webbing width:	40 mm
Max. load:	2 kg

Ref no.: **AY 061** 

Ref no.: **AY 305** 



## **AY 100**



Tool holder for fixing to a belt at a harness, with webbing width from 40 to 50 mm.

### Technical data:

Harness webbing width:	40-50 mm
Material:	leather
Dimensions:	150 x 190 mm
Weight:	126 g

### Tool holder

Ref no.: **AY 100** 



5 kg



AY 100 is a carabiner used as a tool holder, attached to straps of a harness or a full body harness to provide optimum arrangement of tools and in turn improve working comfort.

AY 100 enables connection of tool lanyard also.

### Note!

AY 100 is not personal fall protection equipment.

### Technical data:

Weight:	25 g
Dimensions:	108 x 54 x 14 mm
Working Load Limit (WLL):	5 kg
Material:	polyamide, glass fibre, stainless steel
Breaking strength:	> 25 kg





PROTEKT



The AY 305 is an ergonomic handle used to prevent screwdrivers and similar tools from falling. Thanks to the steel clip, it can be attached to a tool belt with a lanyard.

polyester / clip - steel	
110 g	
40 mm	
	110 g

92

Ref no.: **AY 307** 



AY 306 are new ergonomic handle measuring roll tape 3m/5m with Velcro fasteners. Thanks to the steel hitch we have the possibility of fixing e.g. to the tool belt.

Materiał:	polyester / clip - steel
Weight:	30 g
Tape width:	25 mm / 30 mm



Materiał:	polyester / clip - steel
Weight:	35 g
Tape width:	25 mm / 30 mm



## Tool bags and belts

94

## **AY 200**

### Hip tool belt

Ref no.: **AY 200** 





Hip tool belt fastened with Velcro fastener. Provides optimum arrangement of tools which in turn improves working comfort. AY 200 enables connection of e.g. tool lanyards.

### Technical data:

Belt webbing width:	70 mm
Material:	poliester
Weight:	251 g


**AY 210** 

PROTEKT

### Hip tool belt

AY 210 nr kat.:





Hip tool belt fastened using connecting and adjusting buckle. Provides optimum arrangement and handling of tools which in turn improves working comfort.

Material:	polyester
Weight:	420 g
Belt webbing width:	40 mm

Ref no.: **AY 220** 



Hip tool belt fastened using connecting and adjusting buckle. Provides optimum arrangement and handling of tools which in turn improves working comfort.

### Technical data:

Belt webbing width:	40 mm
Materiał:	polyester
Weight:	560 g





A large and comfortable bag with a reinforced bottom for carrying fitter's accessories made of durable Cordura. It has stiffened edges, which makes loading of tools easier. The bag also has an adjustable strap, so you can hang it over your shoulder.

Weight:	1,35 kg
Dimensions:	560 x 280 x 260 mm
Material:	polyester

Ref no.: **TA 304** 

Ref no.: **TA 305** 

Handy tool bag



max. 375 mm

## FUNCTIONAL AND ERGONOMIC ARRANGEMENT OF TOOLS!



Handy tool bag for handling of assembly accessories, made of strong polyester. It has multiple pockets and compartments inside to ensure tools are in place. The bag has an adjustable strap for comfortable carrying on shoulder.

### Technical data:

Weight:	1,0 kg
Dimensions:	375 x 260 x 90 mm
Material:	polyester



SIDE POCKETS WITH VELCRO FASTENERS

LARGE CAPACITY AND STRENGTH!



Large and handy bag for handling of assembly accessories, made of strong polyester. It is equipped with multiple pockets and compartments both inside and outside to provide optimum arrangement of tools. The bag has an adjustable strap for comfortable carrying on shoulder.

Weight:	2,4 kg	
Dimensions:	500 x 300 x 300 mm	
Materiał:	polyester	

Ref no.: **TA 309** 

## Capacity 17 liters

Ref no.: **TA 308** 



# LITTLE BASKET WITH QUICK ACCESS TO DO TOOLS!





Convenient tool basket for assembly work made of durable fabric. It has many pockets and compartments inside for easy organization of tools. The basket also has an adjustable strap, so you can hang it over your shoulder.

### Technical data:

Weight:	0,98 kg
Dimensions:	270 x 270 x 210 mm
Material:	V
Capacity:	17 L



BIG BASKET WITH QUICK ACCESS TO DO TOOLS!





210 mm

Large tool basket for assembly work made of durable fabric. It has many pockets and compartments inside for easy organization of tools. The basket also has an adjustable strap, so you can hang it over your shoulder.

### Technical data:

Weight:	1,5 kg
Dimensions:	300 x 300 x 310 mm
Material:	fabric
Capacity:	27 L

270 mm

## **TA 311**

### Tool bag attached to the belt






Large and comfortable bag with wheels for transporting assembly accessories with a stiffening inside. Made of . made of durable polyester. It has compartments inside and outside pockets, which makes it easier to organize tools properly. It is also equipped with a retractable telescopic handle, allowing for smooth movement.

### Technical data:

FRONT ZIPPERED POCKET SLIDE

Weight:	0,98 kg
Dimensions:	270 x 270 x 210 mm
Material:	fabric
Capacity:	17 L







Small tool bag attached to the belt. Useful when performing any assembly work, etc. It has a collar with a welt, for quick access to tools.

Weight:	280 g
Dimensions:	160 x 160 x 310 mm
Material:	PCV
Capacity:	2,7 L

Ref no.: **TA 312** 

INSIDE MESH POCKET

## **TA 313**

### Tool bag attached to the belt

Ref no.: **TA 313** 

### Capacity **9** liters



DURABLE PVC MATERIAL

HANDLES FOR TOOLS



Tool trolley fastened to the belt with a convenient zipper closure. Useful when performing any assembly work, etc. It has numerous tool holders and an internal mesh pocket.

### Technical data:

Weight:	340 g
Dimensions:	180 x 180 x 300 mm
Material:	PCW
Capacity:	9 L

Capacity 17 liters





DURABLE PVC MATERIAL

INSIDE MESH POCKET

Spacious tool bag attached to the belt. Useful when performing any assembly work, etc. It has numerous tool handles and an internal mesh pocket.

### Technical data:

Weight:	460 g
Dimensions:	300 x 180 x 350 mm
Material:	PCW
Capacity:	17 L

104

HANDLES FOR TOOLS

TO TOOLS!

Ref no.: **TA 320** 





- Made of breathable material that facilitates the breathing of the skin (synthetic technical fabric, distance knitted fabric)
- Convenient adjustment through side buckles
- Reflective stripes
- Easy access to tools, personal items, telephone, documents, etc.
- Available in three sizes: S, M, L

Ref no.:	Waist circumference:
TA320 01	<b>S</b> - 90 cm
TA320 02	<b>M</b> - 94 cm
TA320 03	<b>L</b> - 112 cm



### Equipment:

- Convenient adjustment
- 2 clip-on tool pockets or other accessories
- · Additional tool holders on the waist belt

### Technical data:

PROTEKT

Weight:	800 g
Size:	universal (S-XXL)
Material:	3D technical spacer fabric, synthetic technical fabric



TO FASTEN



### FULL OFFER OF BAGS, SACKS AND BACKPACKS

## PROIEK

USE IMAGINATION | PROTECT YOUR LIFE WWW.PROTEKT.UK

### **COMPANY ADRESS**

### **OFFICE**

Skromna 6 93-405 Lodz POLAND

Phone: +48 42 680 20 83 Fax +48 42 680 20 93

### SALES DEPARTMENT

Phone: +48 42 29 29 500 export@protekt.com.pl

#### GPS

51.71280369999999 19.43326209999998

### **WAREHOUSE**

Gombrowicza 6 93-405 Lodz POLAND

### **REGISTERED ADDRESS**

Protekt Grzegorz Laszkiewicz sp. z o.o. Skromna 6 93-405 Lodz POLAND